

# **Vehicle Specification**

Presented by Commercial Vehicle Contracts Ltd

## Nissan TOWNSTAR EV VAN 45kWh AUTO L1 90KW TEKNA









## **Technical Details**

Transmission Type   Automatic	Engine and Drive Train					
Engine Configuration         Electric           Fuel Type         Electric           Fuel Delivery Type         Battery           Emissions           Euro Emissions Standard         N/A           Fuel Consumption         WLTP - Electric Consumption Combined         19 kWh/62 miles           WLTP - Electric Consumption City         13 kWh/62 miles           WLTP - Electric Range Combined         177 miles           WLTP - Electric Range Combined Minimum         183 miles           WLTP - Electric City Range Combined Minimum         185 miles           WLTP - Electric City Range Minimum         268 miles           WLTP - Electric City Range Maximum         185 miles           Performance         WATP - Electric City Range Maximum         185 miles           Performance         Maximum Speed         mph           0 to 60 mph         14.00 s         120.00           Power (BHP)         120.00         120.00           Power (BHP)         120.00         120.00           Power (KW)         83.8600         120.00           Power (BH)         4486 mm         14.00 s           Power (BH)         1813 mm         14.00 s           Power (BH)         1813 mm         1813 mm		Transmission Type	Automatic			
Fuel Type Battery Fuel Delivery Type Battery  Emissions  Euro Emissions Standard N/A  Fuel Consumption  WLTP - Electric Consumption Combined 19 kWh/62 miles  WLTP - Electric Consumption City 13 kWh/62 miles  WLTP - Electric Range Combined 177 miles  WLTP - Electric Range Combined 177 miles  WLTP - Electric Range Combined Maximum 183 miles  WLTP - Electric Range Combined 177 miles  WLTP - Electric City Range 249 miles  WLTP - Electric City Range Minimum 268 miles  WLTP - Electric City Range Maximum 185 miles  WLTP - Electric City Range Maximum 185 miles  Performance  Maximum Speed mph 14.00 s Power (BHP) 120.00  Power (BHP) 120.00  Power (BHP) 120.00  Power (KW) 83.8600  Torque 180.70 Lb/ft @ rpm  Dimensions and Weights  Length 4486 mm  Width 2159 mm  Height 1813 mm  Wheelbase 2716 mm  Ground Clearance mm  Ground Clearance mm  Boot Capacity cubic feet  Fuel Tank Size I  Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1600 kg		Engine Size	0 cc			
Fuel Delivery Type       Battery         Emissions       Euro Emissions Standard       N/A         Fuel Consumption         WLTP - Electric Consumption Combined       19 kWh/62 miles         WLTP - Electric Consumption City       13 kWh/62 miles         WLTP - Electric Range Combined       177 miles         WLTP - Electric Range Combined Minimum       183 miles         WLTP - Electric City Range       249 miles         WLTP - Electric City Range Minimum       268 miles         WLTP - Electric City Range Maximum       185 miles         Performance         Maximum Speed       mph         Maximum Speed       mph         0 to 60 mph       14.00 s         Power (BHP)       120.00         Power (FS)       121.6700         Power (RW)       83.8600         Torque       180.70 Lb/ft @ rpm         Dimensions and Weight         Length       4486 mm         Height       1813 mm         Wheelbase       2716 mm         Ground Clearance       mm <td< td=""><td></td><td>Engine Configuration</td><td>Electric Motor</td></td<>		Engine Configuration	Electric Motor			
Euro Emissions Standard         N/A           Fuel Consumption           WLTP - Electric Consumption Combined         19 kWh/62 miles           WLTP - Electric Consumption City         13 kWh/62 miles           WLTP - Electric Range Combined         177 miles           WLTP - Electric Range Combined Minimum         183 miles           WLTP - Electric City Range Combined Minimum         268 miles           WLTP - Electric City Range Maximum         268 miles           WLTP - Electric City Range Maximum         185 miles           Performance           Maximum Speed         mph           Maximum Speed         mph           Maximum Speed         mph           Power (BHP)         120.00           Power (BHP)         121.6700           Power (KW)         83.8600           Dimensions and Weights           Length         4486 mm           Width         2159 mm           Height         1813 mm           Wheelbase         2716 mm           Ground Clearance         mm           Length         <		Fuel Type	Electric			
Euro Emissions Standard N/A  Fuel Consumption  WLTP - Electric Consumption Combined 19 kWh/62 miles  WLTP - Electric Consumption City 13 kWh/62 miles  WLTP - Electric Range Combined 177 miles  WLTP - Electric City Range 249 miles  WLTP - Electric City Range Minimum 268 miles  WLTP - Electric City Range Minimum 385 miles  WLTP - Electric City Range Minimum 268 miles  WLTP - Electric City Range Minimum 385 miles  Performance  Performance  Maximum Speed mph 14.00 s  Power (BHP) 120.00  Power (BHP) 120.00  Power (FS) 121.6700  Power (KW) 33.8600  Torque 180.70 Lb/ft @ rpm  Dimensions and Weights  Length 4486 mm  Width 2159 mm  Height 1813 mm  Wheelbase 2716 mm  Ground Clearance mm  Ground Clearance mm  Ength 4486 mm  Boot Capacity cubic feet  Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1608 kg		Fuel Delivery Type	Battery			
Fuel Consumption  WLTP - Electric Consumption Combined 19 kWh/62 miles  WLTP - Electric Consumption City 13 kWh/62 miles  WLTP - Electric Range Combined 177 miles  WLTP - Electric Range Combined Minimum 183 miles  WLTP - Electric Range Combined 177 miles  WLTP - Electric Range Combined 177 miles  WLTP - Electric City Range 249 miles  WLTP - Electric City Range Minimum 268 miles  WLTP - Electric City Range Minimum 185 miles  Performance  Performance  Maximum Speed mph 14.00 s  Power (BHP) 120.00  Power (BHP) 120.00  Power (FS) 121.6700  Power (KW) 33.8600  Torque 180.70 Lb/ft @ rpm  Dimensions and Weights  Length 4486 mm  Width 2159 mm  Height 1813 mm  Wheelbase 2716 mm  Ground Clearance mm  Length 4486 mm  Boot Capacity cubic feet  Fuel Tank Size   I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg	Emissions					
WLTP - Electric Consumption Combined WLTP - Electric Consumption City 13 kWh/62 miles WLTP - Electric Range Combined 177 miles WLTP - Electric Range Combined Minimum 183 miles WLTP - Electric Range Combined Minimum 177 miles WLTP - Electric Range Combined Minimum 177 miles WLTP - Electric City Range WLTP - Electric City Range Minimum 268 miles WLTP - Electric City Range Maximum 185 miles Performance  Maximum Speed mph 0 to 60 mph 14.00 s Power (BHP) 120.00 Power (PS) 121.6700 Power (KW) 83.8600 Torque 180.70 Lb/ft @ rpm  Dimensions and Weights  Length 4486 mm Width 2159 mm Height 1813 mm Wheelbase 2716 mm Ground Clearance mm Ground Clearance Length 4486 mm 8oot Capacity cubic feet Fuel Tank Size I Gross Weight 2220 kg Kerb Weight Max Braked Towing Weight 1500 kg		Euro Emissions Standard	N/A			
WLTP - Electric Consumption City 13 kWh/62 miles   WLTP - Electric Range Combined 177 miles   WLTP - Electric Range Combined Minimum 183 miles   WLTP - Electric Range Combined Maximum 177 miles   WLTP - Electric City Range 249 miles   WLTP - Electric City Range Minimum 268 miles   WLTP - Electric City Range Maximum 185 miles   Performance mph   0 to 60 mph 14.00 s   Power (BHP) 120.00   Power (PS) 121.6700   Power (KW) 83.8600   Torque 180.70 Lb/ft @ rpm   Dimensions and Weights 4486 mm   Width 2159 mm   Height 1813 mm   Wheelbase 2716 mm   Ground Clearance mm   Length 4486 mm   Boot Capacity cubic feet   Fuel Tank Size I   Gross Weight 2220 kg   Kerb Weight 1608 kg   Max Braked Towing Weight 1500 kg	Fuel Consu	umption				
WLTP - Electric Range Combined 177 miles  WLTP - Electric Range Combined Minimum 183 miles  WLTP - Electric Range Combined 177 miles  WLTP - Electric City Range 249 miles  WLTP - Electric City Range Minimum 268 miles  WLTP - Electric City Range Maximum 185 miles  Performance  Maximum Speed mph 14.00 s  Power (BHP) 120.00  Power (PS) 121.6700  Power (KW) 83.8600  Torque 180.70 Lb/ft @ rpm  Dimensions and Weights  Length 4486 mm  Width 2159 mm  Height 1813 mm  Wheelbase 2716 mm  Ground Clearance mm  Ength 4486 mm  Boot Capacity cubic feet  Fuel Tank Size   I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		WLTP - Electric Consumption Combined	19 kWh/62 miles			
WLTP - Electric Range Combined Minimum 183 miles  WLTP - Electric Range Combined Maximum 177 miles  WLTP - Electric City Range 249 miles  WLTP - Electric City Range Minimum 268 miles  WLTP - Electric City Range Maximum 185 miles  Performance  Maximum Speed mph 14.00 s  Power (BHP) 120.00  Power (PS) 121.6700  Power (KW) 83.8600  Torque 180.70 Lb/ft @ rpm  Dimensions and Weights  Length 4486 mm  Width 2159 mm  Height 1813 mm  Wheelbase 2716 mm  Ground Clearance mm  Length 4486 mm  Boot Capacity cubic feet  Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		WLTP - Electric Consumption City	13 kWh/62 miles			
WLTP - Electric Range Combined Maximum  WLTP - Electric City Range  WLTP - Electric City Range Minimum  268 miles  WLTP - Electric City Range Maximum  185 miles  Performance  Maximum Speed  Maximum Speed  Mover (BHP)  Power (PS)  Power (FW)  Power (KW)  Torque  180.70 Lb/ft @ rpm  Dimensions and Weights  Length  Height  Height  Height  Height  Height  Boot Capacity  Fuel Tank Size  Fuel Tank Size  Maximum Speed  Maximum Speed  Mph  249 miles  249 miles  Meshiles  Meshiles  Meshiles  185 miles  Mph  185 miles  187 miles  188 miles  189 miles  18		WLTP - Electric Range Combined	177 miles			
Maximum  WLTP - Electric City Range  WLTP - Electric City Range Minimum  268 miles  WLTP - Electric City Range Maximum  185 miles  Performance  Maximum Speed  Maximum Speed  Mover (BHP)  Power (BHP)  Power (FS)  Power (KW)  Power (KW)  Torque  180.70 Lb/ft @ rpm  Dimensions and Weights  Length  Height  Height  Height  Height  1813 mm  Wheelbase  2716 mm  Ground Clearance  mm  Ground Clearance  mm  Boot Capacity  cubic feet  Fuel Tank Size  I Gross Weight  Max Braked Towing Weight  1500 kg		WLTP - Electric Range Combined Minimum	183 miles			
WLTP - Electric City Range Minimum         268 miles           WLTP - Electric City Range Maximum         185 miles           Performance           Maximum Speed         mph           0 to 60 mph         14.00 s           Power (BHP)         120.00           Power (FS)         121.6700           Power (KW)         83.8600           Torque         180.70 Lb/ft @ rpm           Dimensions and Weights           Length         4486 mm           Width         2159 mm           Height         1813 mm           Wheelbase         2716 mm           Ground Clearance         mm           Length         4486 mm           Boot Capacity         cubic feet           Fuel Tank Size         I           Gross Weight         2220 kg           Kerb Weight         1608 kg           Max Braked Towing Weight         1500 kg		WLTP - Electric Range Combined Maximum	177 miles			
Performance         Maximum Speed         mph           0 to 60 mph         14.00 s           Power (BHP)         120.00           Power (PS)         121.6700           Power (KW)         83.8600           Torque         180.70 Lb/ft @ rpm           Dimensions and Weights         Vidth           Length         4486 mm           Width         2159 mm           Height         1813 mm           Wheelbase         2716 mm           Ground Clearance         mm           Length         4486 mm           Boot Capacity         cubic feet           Fuel Tank Size         I           Gross Weight         2220 kg           Kerb Weight         1608 kg           Max Braked Towing Weight         1500 kg		WLTP - Electric City Range	249 miles			
Performance           Maximum Speed         mph           0 to 60 mph         14.00 s           Power (BHP)         120.00           Power (PS)         121.6700           Power (KW)         83.8600           Torque         180.70 Lb/ft @ rpm           Dimensions and Weights           Length         4486 mm           Width         2159 mm           Height         1813 mm           Wheelbase         2716 mm           Ground Clearance         mm           Length         4486 mm           Boot Capacity         cubic feet           Fuel Tank Size         I           Gross Weight         2220 kg           Kerb Weight         1608 kg           Max Braked Towing Weight         1500 kg		WLTP - Electric City Range Minimum	268 miles			
Maximum Speedmph0 to 60 mph14.00 sPower (BHP)120.00Power (PS)121.6700Power (KW)83.8600Torque180.70 Lb/ft @ rpmDimensions and WeightsLength4486 mmWidth2159 mmHeight1813 mmWheelbase2716 mmGround ClearancemmLength4486 mmBoot Capacitycubic feetFuel Tank SizeIGross Weight2220 kgKerb Weight1608 kgMax Braked Towing Weight1500 kg		WLTP - Electric City Range Maximum	185 miles			
0 to 60 mph       14.00 s         Power (BHP)       120.00         Power (PS)       121.6700         Power (KW)       83.8600         Torque       180.70 Lb/ft @ rpm         Dimensions and Weights         Length       4486 mm         Width       2159 mm         Height       1813 mm         Wheelbase       2716 mm         Ground Clearance       mm         Length       4486 mm         Boot Capacity       cubic feet         Fuel Tank Size       I         Gross Weight       2220 kg         Kerb Weight       1608 kg         Max Braked Towing Weight       1500 kg	Performan	се				
Power (BHP)       120.00         Power (PS)       121.6700         Power (KW)       83.8600         Torque       180.70 Lb/ft @ rpm         Dimensions and Weights         Length       4486 mm         Width       2159 mm         Height       1813 mm         Wheelbase       2716 mm         Ground Clearance       mm         Length       4486 mm         Boot Capacity       cubic feet         Fuel Tank Size       I         Gross Weight       2220 kg         Kerb Weight       1608 kg         Max Braked Towing Weight       1500 kg		Maximum Speed	mph			
Power (PS)       121.6700         Power (KW)       83.8600         Torque       180.70 Lb/ft @ rpm         Dimensions and Weights         Length       4486 mm         Width       2159 mm         Height       1813 mm         Wheelbase       2716 mm         Ground Clearance       mm         Length       4486 mm         Boot Capacity       cubic feet         Fuel Tank Size       I         Gross Weight       2220 kg         Kerb Weight       1608 kg         Max Braked Towing Weight       1500 kg		0 to 60 mph	14.00 s			
Power (KW) Torque 180.70 Lb/ft @ rpm  Dimensions and Weights  Length 4486 mm Width 2159 mm  Height 1813 mm  Wheelbase 2716 mm  Ground Clearance mm  Length 4486 mm  Ground Clearance tength 4486 mm  Ground Clearance The g		Power (BHP)	120.00			
Torque 180.70 Lb/ft @ rpm  Dimensions and Weights  Length 4486 mm  Width 2159 mm  Height 1813 mm  Wheelbase 2716 mm  Ground Clearance mm  Length 4486 mm  Boot Capacity cubic feet  Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		Power (PS)	121.6700			
Dimensions and Weights  Length 4486 mm  Width 2159 mm  Height 1813 mm  Wheelbase 2716 mm  Ground Clearance mm  Length 4486 mm  Boot Capacity cubic feet  Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		Power (KW)	83.8600			
Length 4486 mm  Width 2159 mm  Height 1813 mm  Wheelbase 2716 mm  Ground Clearance mm  Length 4486 mm  Boot Capacity cubic feet  Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		Torque	180.70 Lb/ft @ rpm			
Width 2159 mm  Height 1813 mm  Wheelbase 2716 mm  Ground Clearance mm  Length 4486 mm  Boot Capacity cubic feet  Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg	Dimension	s and Weights				
Height 1813 mm  Wheelbase 2716 mm  Ground Clearance mm  Length 4486 mm  Boot Capacity cubic feet  Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		Length	4486 mm			
Wheelbase 2716 mm  Ground Clearance mm  Length 4486 mm  Boot Capacity cubic feet  Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		Width	2159 mm			
Ground Clearance mm  Length 4486 mm  Boot Capacity cubic feet  Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		Height	1813 mm			
Length4486 mmBoot Capacitycubic feetFuel Tank SizeIGross Weight2220 kgKerb Weight1608 kgMax Braked Towing Weight1500 kg		Wheelbase	2716 mm			
Boot Capacity cubic feet  Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		Ground Clearance	mm			
Fuel Tank Size I  Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		Length	4486 mm			
Gross Weight 2220 kg  Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		Boot Capacity	cubic feet			
Kerb Weight 1608 kg  Max Braked Towing Weight 1500 kg		Fuel Tank Size	1			
Max Braked Towing Weight 1500 kg		Gross Weight	2220 kg			
		Kerb Weight	1608 kg			
Max Unbraked Towing Weight 700 kg		Max Braked Towing Weight	1500 kg			
		Max Unbraked Towing Weight	700 kg			

General		
	Body Style	Van - Swb
	Doors	4
	Seats	2
	Insurance Group	28
	RFL Rate	£0.00
	Front Brakes	
	Rear Brakes	
	Standard Front Tyre Size	205/60R16 V
	Standard Rear Tyre Size	205/60R16 V
	Standard Spare Tyre Size	Puncture repair kit
	Service Indication	False
Service In	tervals	
	First Service	0 months / 0 miles
	Initial Service	24 months / 24000 miles
	Subsequent Service	24 months / 24000 miles
Warranties		
	Body / Anticorrosion	144 months / 0 miles
	Mechanical	60 months / 100000 miles
	Paintwork	36 months / 0 miles
	Recovery / Breakdown	60 months / 60000 miles

## Standard Equipment

	Communications			
3	Bin Touchscreen Infotainment System			
1	NAV			
Exterior Fea	tures			
E	Elec Adjustable Fldng Heated Door Mirror			
F	Front Fog Light			
F	Front Side and Rear parking Sensor			
ŀ	Keyless Entry and Go			
(	O-S Side Loading Door			
F	Rear Camera			
Interior Feat	tures			
1	IOA CABLE MODE 2 DOMESTIC CABLE			
-	Auto Air Condition			
(	Cable Mode 3 Type 2- 6.5M			
(	Cruise Control With Speed Limiter			
E	Electric Front Windows One Touch			
ŀ	Height Adjustable Driver Seat			
Mechanical Features				
F	Full Width Bulkhead			
Paint and Trim				
(	Grey/Black Cloth With Blue Piping			
	Solid Paint			
Safety & Security Features				
1	Alarm Predisposition			
F	Front Drivers Airbag			
Wheels				
1	16 in Steel Wheels			

#### Important:

The images, specification and technical data relating to this vehicle - and displayed in this document - are compiled and supplied by CAP HPI Limited and International Decision Systems.

Data is sourced from the motor vehicle manufacturer and is updated daily to ensure it is accurate and current. Please note that manufacturers are able to change the specification and technical data of a motor vehicle without prior notice and therefore CAP HPI Limited, International Decision Systems and Commercial Vehicle Contracts Limited are not responsible for the accuracy of the specification or technical data displayed in the document.

The specification may include default manufacturer factory fitted options whereby one or more free of charge option is available on the vehicle, for example a specific type of paint or colour, and the presence or absence of a spare wheel or tyre repair kit.

The images displayed are for guidance only, and may not reflect the specific model quoted. Images may also include non-standard features of the model quoted, and may exclude standard features of the model quoted.

If you have any questions relating to a specific piece of data then please contact your account manager on <b>01424 863 456</b> for guidance.	
	2200 6



# Why choose a specialist B2B van leasing team?

### **Experienced & independent**

- 25+ years experience
- Unrivalled choice & competitive pricing
- FCA regulated and full BVRLA members

### In-depth vehicle knowledge

- We know commercial vehicles inside out
- One-stop-shop service from funding to van customisation
- Getting you on the road and fulfilling contracts from day one

### **Unmatched service**

- Secure online customer portal available 24/7
- Experienced account management support
- Rated 5\* by our delighted customers



#### Outstanding help and advice

The help and advice I received from two different staff was outstanding.

Raymond Ennis



#### Absolutely brilliant

I have now had 3 vehicles from Commercial Vehicle Contracts and wouldn't use anyone else.

Oliver Eastwood



#### A complete pleasure...

...to work with their team. Nothing was too much trouble and beat every other quote.

Garry Clark



#### Great company to deal with

Great company to deal with. No hard sell or constant follow up like some.

Darren McHarg

#### **Phone**

Monday to Friday: 8:30am - 5:30pm

01424 863 456

#### **Email**

Our friendly team is here to help

hello@commercialvehiclecontracts.co.uk

#### Office

Come and say hello at our HQ:

Commercial Vehicle Contracts Ltd.

The Landmark 66 Sackville Road Bexhill on sea

**TN39 3FA** 

///marker.reward.spot

https://commercialvehiclecontracts.co.uk